

## WEED MANAGEMENT RECOMMENDATIONS



START CLEAN

use appropriate burndown herbicide at labeled rate or tillage

PRE/AT PLANTING APPLICATION

within five days of planting but prior to soybean emergence

**CHOOSE** a premix or a tank mix with at least three active ingredients<sup>1</sup> at full labeled use rates from Group 2,<sup>2</sup> 3, 5,<sup>2</sup> 14 or 15

When choosing active ingredients from Group 2, 3 or 5, then a Group 14 or 15 has to be included

Recommend adding a Group 2 active ingredient in places where there are dense populations of large-seeded broadleaf weeds

**POST-EMERGENCE APPLICATION** 

within 4 weeks of planting and when weeds are less than 3-4 inches tall<sup>4</sup> (recommend 20-30 days after planting)



\*Addition of a glufosinate herbicide may antagonize the control of certain weed species by glyphosate

AND/OR

Recommend adding for grass control





<sup>1</sup>Active ingredients include: Group 2 (Imazethapyr, chlorimuron-ethyl, cloransulam-methyl); Group 3 (pendimethalin); Group 5 (metribuzin); Group 14 (fomesafen, flumioxazin, sulfentrazone or saflufenacil); Group 15 (acetochlor, pyroxasulfone, s-metolachlor or dimethenamid-P).

<sup>2</sup>Please refer to product labels for specific soil pH restrictions.

<sup>3</sup>Wide row planted soybean may require another POST application.

<sup>4</sup>Acres with glyphosate and PPÓ-resistant weeds, full labeled applications should be utilized and POST residual herbicide applications to be made before weed emergence. No dicamba may be used in-crop with seed with Roundup

No dicamba may be used in-crop with seed with Roundup Ready® Xtend Technology, unless and until approved or specifically permitted, and no dicamba formulations are currently registered for such use in the 2025 season. Please follow www.round-upreadyxtend.com/pages/xtendimax-updates.aspx for status updates. Dicamba may harm crops that are not tolerant to dicamba.

## ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS.

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all applicable regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with products with XtendFlex® Technology.







Not all products are registered for use in all states and may be subject to use restrictions. Performance may vary, from location to location and from year to year, as local growing, soil and environmental conditions may vary. Growers should evaluate data from multiple locations and years whenever possible and should consider the impacts of these conditions on their growing environment.

The recommendations in this material are based upon trial observations and feedback received from a limited number of growers and growing environments. These recommendations should be considered as one reference point and should not be substituted for the professional opinion of agronomists, entomologists or other relevant experts evaluating specific conditions.

Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Plants that are not tolerant to glyphosate, dicamba, and/or glufosinate may be damaged or killed if exposed to those herbicides. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs. The distribution, sale, or use of an unregistered pesticide is a violation of federal and/or state law and is strictly prohibited. Check with your local dealer or representative for the product registration status in your state. Tank mixtures: The applicable labeling for each product must be in the possession of the user at the time of application. Follow applicable use instructions, including application rates, precautions and restrictions of each product used in the tank mixture. Not all tank mix product formulations have been tested for compatibility or performance other than specifically listed by brand name. Always predetermine the compatibility of tank mixtures by mixing small proportional quantities in advance. Bayer, Bayer Cross, Roundup PowerMAX® and Warrant® Herbicide are registered trademarks of Bayer Group. LibertyLink logo® and LibertyLink® are trademarks of BASF Corporation. For additional product information call toll-free 1-866-99-BAYER (1-866-992-2937) or visit our website at www.BayerCropScience.us. Bayer CropScience LP, 800 North Lindbergh Boulevard, St. Louis, MO 63167. ©2025 Bayer Group. All rights reserved.